Current FTB Platforms and Associated Modules

Modules	FTB-1v2[5]	FTB-1v2 Pro [1][5]	FTB-2	FTB-2 Pro	FTB-4 Pro	FTB-500
FTBx-1750 / FTB-1750	✗	✗	✗	✗	✗	✗
FTBx-2150 / FTB-2150	✗	✗[6]	✗[2],[6]	✗[3],[6]	✗[6]	✗
FTBx-2250 / FTB-2250	✗	✗[6]	✗[2],[6]	✗[3],[6]	✗[6]	✗
FTBx-2850 / FTB-2850	✗	✗[6]	✗[2],[6]	✗[3],[6]	✗[6]	✗
FTBx-3500 / FTB-3500	✗	✗[6]	✗[2],[6]	✗[3],[6]	✗[6]	✗
FTBx-5205	✓	✓	✓[2]	✓[3]	✓	✗
FTBx-5235	✓[7]	✓[7]	✓[2]	✓[3]	✓	✗
FTBx-5243-HWA	✗	✗	✗	✗	✓	✗
FTBx-5245	✗	✓[7]	✗	✓[3]	✓	✗
FTBx-5255	✗	✗	✗	✓[3]	✓	✗
FTBx-720C	✓	✓	✓[2]	✓[3]	✓	✗
FTBx-730C	✓	✓	✓[2]	✓[3]	✓	✗
FTBx-735C	✓	✓	✓[2]	✓[3]	✓	✗
FTBx-740C-CWDM	✓	✓	✓[2]	✓[3]	✓	✗
FTBx-740C-DWC	✓	✓	✓[2]	✓[3]	✓	✗
FTBx-740C-DWOCC	✓	✓	✓[2]	✓[3]	✓	✗
FTBx-750C	✓	✓	✓[2]	✓[3]	✓	✗
FTBx-88200NGE	✗	✓[7]	✗	✓[3]	✓	✗
FTBx-88260	✗	✓[7]	✗	✓[3]	✓	✗
FTBx-88460	✗	✗	✗	✗	✓	✗
FTBx-88480	✗	✓[13]	✗	✗	✗	✗
FTBx-8870	✗	✓	✗	✓[3]	✓	✗
FTBx-8880	✗	✓	✗	✓[3]	✓	✗
FTBx-9110	✗	✗[6]	✗[2],[6]	✗[3],[6]	✓	✗
FTBx-9160	✗	✗[6]	✗[2],[6]	✗[3],[6]	✗[6]	✗
FTBx-945	✓	✓	✓[2]	✓[3]	✓	✗
FTBx-9600	✓	✓	✓[2]	✓[3]	✓	✗
FTB-5500B	✗	✗	✗	✗	✓	✓[4]
FTB-5600	✗	✗	✗	✗	✓	✓[4]
FTB-5700	✗	✗	✓	✓	✓	✓
FTB-5800	✗	✗	✗	✗	✓	✓[4]
FTB-7400E	✗	✗	✓	✓	✓	✓
FTB-7600E	✗	✗	✓	✓	✓	✓
LTBe-9110	✗	✗[6]	✗[6]	✗[6]	✓	✗

(1) Also known as FTB-1 Pro.
(2) FTB-2 platforms Rev. A, B and C require a hardware upgrade (FTB-2-FTBx-UPG). Also applicable to TK-2 test kits.
(3) FTB-2 Pro platforms Rev. A, B, C, D and E require a hardware upgrade (FTB-2-PRO-FTBx-UPG). Also applicable to TK-2-PRO test kits.
(4) Available only on the FTB-500-OCT (8 slots).
(5) Support for FTBx modules only.
(6) NS software possible. Call EXFO Product Line Manager with viable business case
(7) Available for DC and HPDC only.
(8) Discontinued Platform. Platform and module software may be incompatible.
(9) Platform end of service. Platform and module software may be incompatible.
(10) Calibration services continue to be offered for this product
(11) Special hardware configurations available on demand. Call EXFO Product Line Manager.
(12) Discontinued module. Module and platform software may be incompatible.
(13) Availble for HPDC only.

v5.6 - March 8, 2023 - for updates or clarifications please contact chris.dunford@exfo.com

Current LTB Platforms and Associated Modules

Modules	LTB-1	LTB-2	LTB-8	LTB-12
FTBx-1750 / FTB-1750	✓	✓	✓	✓
FTBx-2150 / FTB-2150	✓	✓	✓	✓
FTBx-2250 / FTB-2250	✓	✓	✓	✓
FTBx-2850 / FTB-2850	✓	✗[6]	✗[6]	✗[6]
FTBx-3500 / FTB-3500	✓	✓	✓	✓
FTBx-5205	✗	✗	✗	✗
FTBx-5235	✗	✗	✗	✗
FTBx-5243-HWA	✗	✗	✓	✓
FTBx-5245	✗	✗	✓	✓
FTBx-5255	✗	✗	✓	✓
FTBx-720C	✗	✓	✓	✓
FTBx-730C	✗	✓	✓	✓
FTBx-735C	✗	✓	✓	✓
FTBx-740C-CWDM	✗	✗	✗	✗
FTBx-740C-DWC	✗	✗	✗	✗
FTBx-740C-DWOCC	✗	✗	✗	✗
FTBx-750C	✗	✓	✓	✓
FTBx-88200NGE	✗	✓	✓	✗
FTBx-88260	✗	✓	✓	✗
FTBx-88460	✗	✗	✓	✗
FTBx-88480	✗	✗	✓	✗
FTBx-8870	✗	✓	✓	✗
FTBx-8880	✗	✓	✓	✗
FTBx-9110	✓[11]	✓	✓	✓
FTBx-9160	✓[11]	✓	✓	✓
FTBx-945	✗	✗	✗	✗
FTBx-9600	✓[11]	✓	✓	✓
FTB-5500B	✗	✗	✗	✗
FTB-5600	✗	✗	✗	✗
FTB-5700	✗	✗	✗	✗
FTB-5800	✗	✗	✗	✗
FTB-7400E	✗	✗	✗	✗
FTB-7600E	✗	✗	✗	✗
LTBe-9110	✓	✓	✓	✓

(1) Also known as FTB-1 Pro.
(2) FTB-2 platforms Rev. A, B and C require a hardware upgrade (FTB-2-FTBx-UPG). Also applicable to TK-2 test kits.
(3) FTB-2 Pro platforms Rev. A, B, C, D and E require a hardware upgrade (FTB-2-PRO-FTBx-UPG). Also applicable to TK-2-PRO test kits.
(4) Available only on the FTB-500-OCT (8 slots).
(5) Support for FTBx modules only.
(6) Special software. Call EXFO Product Line Manager.
(7) Available for DC and HPDC only.
(8) Discontinued Platform. Platform and module software may be incompatible.
(9) Platform end of service. Platform and module software may be incompatible.
(10) Calibration services continue to be offered for this product
(11) Special hardware configurations available on demand. Call EXFO Product Line Manager.
(12) Discontinued module. Module and platform software may be incompatible.
(13) Availble for HPDC only.

v5.6 - March 8, 2023 - for updates or clarifications please contact chris.dunford@exfo.com

Discontinued Modules

Modules[12]	FTB-1v2	FTB-1v2 Pro [1]	FTB-2	FTB-2 Pro	FTB-4 Pro	FTB-500	FTB-1v1[8]	FTB-200v2[8]
FTB-5230S/-OCA	X	X	✓	✓	✓	✓	X	✓
FTB-5235	✓	✓	X	X	X	X	X	X
FTB-720C	✓	✓	X	X	X	X	X	X
FTB-720G V2	X	✓	X	X	X	X	X	X
FTB-730C	✓	✓	X	X	X	X	X	X
FTB-730G V2	X	✓	X	X	X	X	X	X
FTB-735C	✓	✓	X	X	X	X	X	X
FTB-740G V2	X	✓	X	X	X	X	X	X
FTB-740C-CWDM	✓	✓	X	X	X	X	X	X
FTB-7500E	X	X	✓	✓	✓	✓	X	✓
FTB-750C	✓	✓	X	X	X	X	X	X
FTB-880Q	X	✓	X	X	X	X	X	X
FTB-880 V2	X	✓	X	X	X	X	X	X
FTB-890NGE	X	✓	X	X	X	X	X	X
FTB-940	✓	✓	X	X	X	X	X	X
FTBx-940	✓	✓	✓[2]	✓[3]	✓	X	X	X
FTB-945	✓	✓	X	X	X	X	X	X
FTBx-9150	X	X[6]	X[6]	X[6]	X[6]	X	X	X
FTB-88100G	X	X	X	✓	X	✓	X	X
FTB-88100NGE	X	X	X	✓	✓	✓	X	X
FTBx-88400NGE	X	X	X	X	✓	X	X	X

(1) Also known as FTB-1 Pro.
(2) FTB-2 platforms Rev. A, B and C require a hardware upgrade (FTB-2-FTBx-UPG). Also applicable to TK-2 test kits.
(3) FTB-2 Pro platforms Rev. A, B, C, D and E require a hardware upgrade (FTB-2-PRO-FTBx-UPG). Also applicable to TK-2-PRO test kits.
(4) Available only on the FTB-500-OCT (8 slots).
(5) Support for FTBx modules only.
(6) Special software. Call EXFO Product Line Manager.
(7) Available for DC and HPDC only.
(8) Discontinued Platform. Platform and module software may be incompatible.
(9) Platform end of service. Platform and module software may be incompatible.
(10) Calibration services continue to be offered for this product
(11) Special hardware configurations available on demand. Call EXFO Product Line Manager.
(12) Discontinued module. Module and platform software may be incompatible.
(13) Availble for HPDC only.

v5.6 - March 8, 2023 - for updates or clarifications please contact chris.dunford@exfo.com

Discontinued LTB Platforms and Associated Modules

Modules	LTB-1	LTB-2	LTB-8	LTB-12
FTBx-9150	✓(11)	✓	✓	✓

(1) Also known as FTB-1 Pro.
(2) FTB-2 platforms Rev. A, B and C require a hardware upgrade (FTB-2-FTBx-UPG). Also applicable to TK-2 test kits.
(3) FTB-2 Pro platforms Rev. A, B, C, D and E require a hardware upgrade (FTB-2-PRO-FTBx-UPG). Also applicable to TK-2-PRO test kits.
(4) Available only on the FTB-500-OCT (8 slots).
(5) Support for FTBx modules only.
(6) Special software. Call EXFO Product Line Manager.
(7) Available for DC and HPDC only.
(8) Discontinued Platform. Platform and module software may be incompatible.
(9) Platform end of service. Platform and module software may be incompatible.
(10) Calibration services continue to be offered for this product
(11) Special hardware configurations available on demand. Call EXFO Product Line Manager.
(12) Discontinued module. Module and platform software may be incompatible.
(13) Availble for HPDC only.

v5.6 - March 8, 2023 - for updates or clarifications please contact chris.dunford@exfo.com

Modules no longer supported[12]

Modules[12]	FTB-1v2	FTB-1v2 Pro [1]	FTB-2	FTB-2 Pro	FTB-4 Pro	FTB-500	FTB-1v1[6]	FTB-200v1[9]	FTB-200v2[9]	FTB-400[9]
FTB-3930	X	X	N/A	N/A	N/A	N/A	X	X	N/A	X
FTB-5240BP	X	X	X	X	N/A	N/A	X	X	X	X
FTB-5240S	X	X	N/A	N/A	N/A	N/A	X	X	X	X
FTB-610	N/A	N/A	N/A	N/A	N/A	N/A	X	N/A	N/A	N/A
FTB-635	N/A	N/A	N/A	N/A	N/A	N/A	X	N/A	N/A	N/A
FTB-720	X	X	X	X	X	X	N/A	X	X	X
FTB-7200D	X	X	N/A	N/A	N/A	N/A	X	X	N/A	X
FTB-720G	X	X	X	X	X	X	N/A	X	X	X
FTB-720G+	X	X	X	X	X	X	N/A	X	X	X
FTB-730G/G+	X	X	X	X	X	X	N/A	X	X	X
FTB-730	X	X	X	X	X	X	N/A	X	X	X
FTB-7300D[10]	X	X	X	X	X	N/A	X	X	X	N/A
FTB-7300E	X	X	N/A	N/A	N/A	N/A	X	X	N/A	X
FTB-7500E	X	X	N/A	N/A	N/A	N/A	X	X	N/A	X
FTB-810/G	X	X	X	X	X	X	N/A	X	X	X
FTB-8105	X	X	X	X	X	N/A	X	N/A	N/A	N/A
FTB-8115	X	X	X	X	X	N/A	X	N/A	N/A	N/A
FTB-8120	X	X	X	X	X	N/A	X	N/A	N/A	N/A
FTB-8120NGE	X	X	X	X	X	N/A	X	N/A	N/A	N/A
FTB-8130	X	X	X	X	X	N/A	X	N/A	N/A	N/A
FTB-8130NGE	X	X	X	X	X	N/A	X	N/A	N/A	N/A
FTB-8140	X	X	X	X	X	N/A	X	X	X	X
FTB-8510B	X	X	X	X	X	N/A	X	X	N/A	X
FTB-8510G	X	X	X	X	X	N/A	X	X	N/A	X
FTB-85100G	X	X	X	X	X	N/A	X	X	X	X
FTB-8525/8535	X	X	X	X	X	N/A	X	X	N/A	X
FTB-860/G/GL	X	X	X	X	X	X	N/A	X	X	X
FTB-870	X	X	X	X	X	X	N/A	X	X	X
FTB-870 V2	X	N/A	X	X	X	X	X	X	X	X
FTB-870Q	X	N/A	X	X	X	X	X	X	X	X
FTB-880	X	X	X	X	X	X	N/A	X	X	X
FTB-8805	X	X	N/A	N/A	N/A	N/A	X	X	X	X
FTB-8830NGE	X	X	N/A	N/A	N/A	N/A	X	X	X	X
FTB-890	X	N/A	X	X	X	X	X	X	X	X
FTB-9100	X	X	X	X	X	N/A	X	X	X	N/A

(1) Also known as FTB-1 Pro.
(2) FTB-2 platforms Rev. A, B and C require a hardware upgrade (FTB-2-FTBx-UPG). Also applicable to TK-2 test kits.
(3) FTB-2 Pro platforms Rev. A, B, C, D and E require a hardware upgrade (FTB-2-PRO-FTBx-UPG). Also applicable to TK-2-PRO test kits.
(4) Available only on the FTB-500-OCT (8 slots).
(5) Support for FTBx modules only.
(6) Special software. Call EXFO Product Line Manager.
(7) Available for DC and HPDC only.
(8) Discontinued Platform. Platform and module software may be incompatible.
(9) Platform end of service. Platform and module software may be incompatible.
(10) Calibration services continue to be offered for this product
(11) Special hardware configurations available on demand. Call EXFO Product Line Manager.
(12) Discontinued module. Module and platform software may be incompatible.
(13) Availble for HPDC only.

v5.6 - March 8, 2023 - for updates or clarifications please contact chris.dunford@exfo.com